

INTERNATIONAL STANDARD

IEC
62261-1

First edition
2005-08

Television METADATA – Part 1: Metadata dictionary structure



Reference number
IEC 62261-1:2005(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site (www.iec.ch)**
- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.
- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.
- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 62261-1

First edition
2005-08

Television METADATA – Part 1: Metadata dictionary structure

© IEC 2005 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

M

For price, see current catalogue

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Metadata dictionary structure	5
3.1 General	5
3.2 Compatibility with other metadata structures	6
3.3 Individual metadata classes	6
3.4 Dictionary element structure and format	10
3.5 Metadata dictionary structure maintenance.....	11
Annex A (normative) Glossary of terms	12
Figure 1 – Metadata class structure	7

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TELEVISION METADATA –

Part 1: Metadata dictionary structure

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62261-1 has been prepared by Technical Area 6: Higher data rate storage media, data structures and equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This standard cancels and replaces IEC/PAS 62261 published in 2001.

This first edition constitutes a technical revision.

The text of this standard is based on the following documents:

CDV	Report on voting
100/853/CDV	100/954/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 62261 consists of the following parts, under the general title *Television metadata*:

Part 1: Metadata dictionary structure

Part 2: Data encoding protocol using key-length-value

Part 3: Universal labels for unique identification of digital data

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

.....

TELEVISION METADATA –

Part 1: Metadata dictionary structure

1 Scope

The metadata dictionary structure defined in this part of IEC 62261 covers the use of metadata for all types of essence (video, audio, and data in their various forms). Applications of individual dictionary entries will vary but, when used, metadata shall conform to the definitions and formats in this metadata dictionary structure standard and the associated metadata dictionary recommended practice (IEC 62261-3). IEC 62261-3 defines a registered set of metadata element descriptions for association with essence or other metadata and this standard and the contents practice shall be used together as a pair – neither shall be used in isolation. The IEC may, from time to time, appoint other bodies to act as its Registration Authority and Agent for the compilation and safe keeping of IEC 62261-3 as described in IEC 62261-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62261-2, *Television metadata – Part 2: Data encoding protocol using key-length-value*

IEC 62261-3, *Television metadata – Part 3: Universal labels for unique identification of digital data*

3 Metadata dictionary structure

3.1 General

The metadata dictionary structure provides flexibility in capturing metadata and exchanging it among applications through a standardized hierarchy of universal labels for the metadata elements, grouped to aid their management within a small but comprehensive number of classes. Metadata classes are collections of metadata elements with common characteristics or attributes. Additional classes are provided for user-defined metadata.

IEC 62261-3 references an individual item or element of metadata using a two-part 16-byte universal label that is numerical (and hence language-independent) and unique. The first eight bytes label the second eight bytes as a “tag” in a specific version of a designated metadata dictionary (“tags” are defined in IEC 62261-2 (key-length-value encoding)). This tag is used to index the meaning or definition of the metadata element.

The actual metadata information described by the metadata element is the metadata value. The dictionary also contains information on the required format of metadata values and the allowable range of values (if applicable) either as a list or as a bounded range.

Individual data element values can frequently be represented in more than one way – for instance, it is possible to represent a textual value as ASCII or unicode, where the value is identical but the particular representation different. It is important both that the representation is known and that as new representations are registered they can be accommodated. In this case, the last active word of the tag defines the representation in use – the default being 00_h.

The metadata dictionary is organized into nodes and leaves. The dictionary classes just described form class nodes and below these are further nodes at each subclass. To aid the management of the dictionary, these nodes and subnodes are assigned tags to which no value is assigned, so as to give clear breaks in the structure. Entries within a subclass form leaves, which are the data elements themselves.

Lower levels of the dictionary structure can be derived from the tag structure in IEC 62261-3.

3.2 Compatibility with other metadata structures

The metadata dictionary structure is a framework that supports global interoperability by defining metadata tags in a way that enables the interchange of IEC metadata with metadata from different sources and originated by other bodies.

Many different cataloguing conventions are used by communities who focus on a specific domain or subject or who have specific needs for archive and retrieval of multimedia data including, for example, intellectual rights. The metadata dictionary is not intended to replace conventions already in use, for example, in textual naming or keywords. Within the framework of the metadata dictionary structure, different content creation communities, media indexing professionals, or metadata extractors and users can develop metadata conventions that meet their specific requirements.

3.3 Individual metadata classes

3.3.1 Organization

Within the metadata dictionary, metadata elements are organized into a hierarchical structure, where each is assigned to a metadata class as shown in the overview of Figure 1. The initial set of metadata classes in this standard consists of

Class 1: Identification and location

Class 2: Administration

Class 3: Interpretive

Class 4: Parametric

Class 5: Process

Class 6: Relational

Class 7: Spatio-temporal

Class 15: Experimental

The number of metadata classes can be extended in the future to a maximum of 127. Although dictionary classes can be populated with any metadata (such as that associated with still images, audio, graphics, etc.), additional new classes may be created up to that limit to deal with specific metadata characteristics or attributes.




Figure 1 – Metadata class structure

3.3.2 Class 1: Identification and location

Metadata in this class shall consist of identifying information (IDs) that describes the essence of the overall bit stream or file. A critical part of Class 1 metadata is unambiguous identification of the essence using a single, recognized number or label. Information in this class shall include global and local identifiers as well as identifying information about the metadata elements themselves (so-called meta-metadata). Examples of subclass titles in this class are

- globally unique identifiers;
- ISO identifiers;
- object identifiers;
- device identifiers;
- unique IPR identifiers;
- local locators;
- titles.

3.3.3 Class 2: Administration

Metadata in this class shall consist of administrative or business data that describe information about the essence or metadata that are relevant to its application. Information on authorized use and restrictions on use, and encryption are in this metadata class. Cost information and information needed to protect intellectual property or to protect ownership shall also be contained in Class 2. Examples of subclass titles in this class are

- supplier;
- rights;
- financial information;
- security;
- publication outlet;
- participating parties;
- broadcast and repeat statistics.

3.3.4 Class 3: Interpretive

Metadata in this class shall consist of descriptive information which is normally considered either a subjective or a human-generated description of the essence or a computational result from machine examination of the essence. Interpretive information shall consist of, but not be limited to, textual terms (for example, keywords, narrative summary, titles, genre categories, scripts, etc.), or computational metrics (for example, colour histograms, texture maps, object shapes, facial features, etc.). Information in Class 3 shall be principally used for indexing, cataloguing, administering, searching, and retrieving the content of essence. Examples of subclass titles in this class are

- fundamental (such as ISO language code, length and time systems);
- descriptive (human-assigned);
- categorization;
- assessments;
- descriptors (machine-assigned or computed).

3.3.5 Class 4: Parametric

Metadata in this class shall consist of information that describes the technical characteristics of the camera, sensor, or system that originates the essence or metadata. Information about the technical characteristics of the essence or metadata is also provided, including but not limited to its creation parameters and the configuration of the originating system. Examples of subclass titles in this class are

- video essence encoding characteristics;
- audio essence encoding characteristics;
- data essence encoding characteristics;
- metadata encoding characteristics;
- audio test parameters;
- film pulldown characteristics;
- fundamental sequencing and scanning;
- MPEG coding characteristics;
- time code characteristics.

3.3.6 Class 5: Process

Metadata in this class shall consist of information that describes how the essence was processed or otherwise changed or enhanced after its origination. This class shall include, but not be limited to, many of the parameters in an edit decision list. Additional information in Class 5 shall be an audit trail (heritage) of all changes to the original content over time. Also included shall be a record of compression/decompression steps and any changes in storage media or format. Examples of subclass titles in this class are

- process indicators;
- manipulation;
- downstream processing history;
- enhancement or modification;
- audio processor settings (device-specific);
- editing information.

3.3.7 Class 6: Relational

Metadata in this class shall consist of information that describes relationships among objects in the content or among any combination of essence, objects, and metadata. Examples of subclass titles in this class are

- generic relationships;
- relatives;
- essence-to-essence relationship;
- metadata-to-essence relationship;
- metadata-to-metadata relationship;
- object-to-object relationship;
- metadata-to-object relationship;
- related production material;
- numerical sequence;
- relationship structures.

3.3.8 Class 7: Spatio-temporal

Metadata in this class shall consist of information about aspects of the content or the originating camera, sensor, or system relating to time, place, or space. Geospatial information in Class 7 shall be any information that defines the positions or places (either absolute or relative) of objects, scenes, individuals, or any other component of the essence. Temporal elements such as dates, time codes, synchronization marks, temporal keywords, and motion (vector) parameters shall also be part of Class 7 metadata. Examples of subclass titles in this class are

- position and space vectors;
- absolute position;
- image positional information;
- rate and direction of positional change;
- abstract locations;
- angular specifications;
- distance measurements;
- operational date and time information;
- absolute date and time;
- relative durations;
- rights date and time;
- setting date and time (characterized time period);
- delay;
- latency.

3.3.9 Class 15: Experimental

Metadata in this class shall consist of information whose definition and use does not need to conform to the definitions in the metadata dictionary. Class 15 metadata is intended for use in multimedia research or other limited access, experimental environments where experimentation with new metadata elements and applications does not depend on strict conformance to approved standards and which remain within a test or laboratory environment.

3.4 Dictionary element structure and format

The metadata dictionary shall consist of the following fields for each metadata element.

3.4.1 Data element tag

This has eight fields representing the eight octets or bytes of the data element tag. These uniquely identify the specific metadata element in the dictionary in a hierarchical fashion. Classes are designated with the first byte in the data element tag and subsequent bytes enable the hierarchical identification of subclasses and/or individual leaves.

3.4.2 Data element name

This entry is the English language name for the element represented numerically by the data element tag.

3.4.3 Dictionary version at introduction

This entry records the version number of the dictionary standard (i.e. the structure standard/recommended practice pair) which first recorded the allocation of a data element against a data element tag.

3.4.4 Data element definition

This entry is the detailed and unambiguous English language definition of what is represented by the data element tag and element name.

3.4.5 Type

This entry identifies the representation category of metadata value allowed for this element in order to permit correct interpretation of that value; for example, in the case of a text string or an SMPTE time code. A compound type entry is a class or subclass node or split in the metadata dictionary hierarchy and cannot have a value associated with it.

3.4.6 Value length

This entry defines the permitted length in bytes or characters of the value of the data element. In some cases, such as a text string, the length is not defined or limited and the value length is described as variable. However, in practice, a variable length may be limited by the application specification.

3.4.7 Value range

This entry defines any limitations on the permitted values of a data element.

3.4.8 Node/leaf

This entry defines whether the dictionary entry is a node in the classification structure or a leaf as defined in 3.1.

3.4.9 Defining document

In cases where the data element type or other parameter is defined in another document, this entry references that standard or the authoritative source of the information.

3.5 Metadata dictionary structure maintenance

The principles for maintenance and administration of the metadata dictionary structure are defined in the following clauses:

3.5.1 Dictionary version information

The following information shall be provided with each update to the metadata dictionary structure and contents.

Standard name: Metadata dictionary structure standard

Standard designator: One-byte unsigned integer in the range of 1 to 127

Version number: One-byte unsigned integer in the range of 1 to 127

Effective date: Text

Database format: Text

Summary of changes: Text

Database administrator: Text with URL or e-mail

Contact information: Text with URL or e-mail

3.5.2 Dictionary management and compatibility requirements

To ensure reliable and correct interpretation of legacy material in the future, changes to IEC 62261-3 shall be additions only. Deletions or changes to entries (other than purely editorial) are not permitted. This addition process shall be speedily carried out and documented and shall occur immediately on request from the appropriate IEC committee but in any event not less frequently than once per year. It shall be administered and scrutinized with a light but formal touch to ensure minimal delay in the availability for use of a newly required registered tag. The version number of the dictionary shall be incremented each and every time an addition (or group of additions) is made since this is critical to ensuring the operational compatibility of metadata decoders. The incrementing of the version number shall not prevent use of unaffected tags, structure, or contents by a decoder that conforms to the prior version.

It is inevitable, given the above addition process, that eventually the dictionary will become cluttered with legacy entries to the point where the responsible IEC committee determines it has reached the limit of its usefulness. At this stage, or when other changes to the dictionary contents, to an existing approved dictionary structure, or to relationships among metadata classes that prevent backward compatibility are necessary, a new dictionary consisting of both structure standard and contents recommended practice shall be created. The superseded standard shall then undergo no further revision unless essential under IEC rules.

3.5.3 Dictionary availability

The dictionary documents shall be available in electronic form in a defined electronic publishing format, such as XML, with an accompanying document type definition.

The latest version of IEC 62261-3 shall be made available on the IEC/TC100 website in a non-editable format (pdf or equivalent). It is preferred that a minimum of the two immediate previous versions be also available in a clearly indicated archive.

Annex A (normative)

Glossary of terms

A.1 Content

The program content will consist of the sum total of the essence (video, audio, data, etc.) and the metadata.

A.2 Data element

An individual unit of data or metadata.

A.3 Data element definition

The detailed and unambiguous definition of what is represented by the key and element name.

A.4 Data element name

The English language name for the element represented numerically by the data element tag.

A.5 Data element tag

The 8-byte tag that uniquely identifies the data element in the metadata dictionary.

A.6 Essence

Identified by the EBU/SMPTE Task Force for Harmonized Standards for the Exchange of Program Material as bitstreams (TFHS) as the digital representation of video, audio, and/or data information. Essence can therefore also be graphics, telemetry, photographs, or other information.

A.7 Label

A 16-byte key that explicitly identifies a predefined value or group of values.

A.8 Leaf

A placing in the dictionary structure which contains the data element itself. Leaves are arranged under class and subclass nodes (which see).

A.9 Metadata

Generally referred to as data about data or data describing other data. More specifically, information that is considered ancillary to, or otherwise directly complementary to, the essence. Any information that a content provider considers useful or of value when associated with the essence being provided.

A.10 Metadata class

The broad category of metadata that forms the first level of hierarchy for all registered metadata.

A.11 Metadata dictionary

The standard database of approved, registered data element tags and their definitions.

A.12 Metadata element

A broad term for a unit of metadata.

A.13 Metadata tag

The 8-byte tag that uniquely identifies the data element in the metadata dictionary.

A.14 Node

A break point between Classes and Sub-classes in the Dictionary Structure provided solely for management purposes.

A.15 Type

Information about the representation of the metadata or data value.

A.16 Value

The instance of information described by the metadata tag.



Standards Survey

The IEC would like to offer you the best quality standards possible. To make sure that we continue to meet your needs, your feedback is essential. Would you please take a minute to answer the questions overleaf and fax them to us at +41 22 919 03 00 or mail them to the address below. Thank you!

Customer Service Centre (CSC)

International Electrotechnical Commission

3, rue de Varembé
1211 Genève 20
Switzerland

or

Fax to: **IEC/CSC** at +41 22 919 03 00

Thank you for your contribution to the standards-making process.

A Prioritaire

Nicht frankieren
Ne pas affranchir



Non affrancare
No stamp required

RÉPONSE PAYÉE

SUISSE

Customer Service Centre (CSC)
International Electrotechnical Commission
3, rue de Varembé
1211 GENEVA 20
Switzerland



Q1 Please report on **ONE STANDARD** and **ONE STANDARD ONLY**. Enter the exact number of the standard: (e.g. 60601-1-1)

.....

Q2 Please tell us in what capacity(ies) you bought the standard (tick all that apply). I am the/a:

- purchasing agent
- librarian
- researcher
- design engineer
- safety engineer
- testing engineer
- marketing specialist
- other.....

Q3 I work for/in/as a: (tick all that apply)

- manufacturing
- consultant
- government
- test/certification facility
- public utility
- education
- military
- other.....

Q4 This standard will be used for: (tick all that apply)

- general reference
- product research
- product design/development
- specifications
- tenders
- quality assessment
- certification
- technical documentation
- thesis
- manufacturing
- other.....

Q5 This standard meets my needs: (tick one)

- not at all
- nearly
- fairly well
- exactly

Q6 If you ticked NOT AT ALL in Question 5 the reason is: (tick all that apply)

- standard is out of date
- standard is incomplete
- standard is too academic
- standard is too superficial
- title is misleading
- I made the wrong choice
- other

Q7 Please assess the standard in the following categories, using the numbers:

- (1) unacceptable,
- (2) below average,
- (3) average,
- (4) above average,
- (5) exceptional,
- (6) not applicable

- timeliness.....
- quality of writing.....
- technical contents.....
- logic of arrangement of contents
- tables, charts, graphs, figures.....
- other

Q8 I read/use the: (tick one)

- French text only
- English text only
- both English and French texts

Q9 Please share any comment on any aspect of the IEC that you would like us to know:

.....



INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 2-8318-8135-8



9 782831 881355

ICS 33.160; 35.040

Typeset and printed by the IEC Central Office
GENEVA, SWITZERLAND